


Client: Sloan, Holly (9630)
 Patient Name: Placid
 Species: Canine
 Breed:

Gender: Female/Spayed
 Weight: 62.00 lbs
 Age: 9 Years
 Doctor: Tim Slater

Test	Results	Reference Interval	LOW	NORMAL	HIGH
Catalyst Dx (February 2, 2022 5:14 PM)					
GLU	109 mg/dL	70 - 143			
SDMA	15 µg/dL	0 - 14			HIGH
CREA	1.0 mg/dL	0.5 - 1.8			
BUN	20 mg/dL	7 - 27			
PHOS	4.7 mg/dL	2.5 - 6.8			
CA	-- mg/dL	7.9 - 12.0			
TP	7.7 g/dL	5.2 - 8.2			
ALB	3.6 g/dL	2.2 - 3.9			
ALT	155 U/L	10 - 125			HIGH
ALKP	653 U/L	23 - 212			HIGH
GGT	5 U/L	0 - 11			
TBIL	0.3 mg/dL	0.0 - 0.9			
CHOL	226 mg/dL	110 - 320			
AMYL	612 U/L	500 - 1500			
LIPA	-- U/L	200 - 1800			
TT4	In process	1.0 - 4.0			

12/17/21
 8:28 AM
 122 mg/dL
 15 µg/dL
 1.3 mg/dL
 19 mg/dL
 4.0 mg/dL
 10.0 mg/dL
 7.5 g/dL
 3.3 g/dL
 177 U/L
 694 U/L
 2 U/L
 0.2 mg/dL
 248 mg/dL
 475 U/L
 873 U/L
 1.5 µg/dL



Diagnostic Interpretation for TT4

- < 1.0 µg/dL Low
- 1.0 - 2.0 µg/dL Low Normal
- 1.0 - 4.0 µg/dL Normal
- > 4.0 µg/dL High
- 2.1 - 5.4 µg/dL Therapeutic

Dogs with no clinical signs of hypothyroidism and results within the normal reference range are likely euthyroid. Dogs with low T4 concentrations may be hypothyroid or "euthyroid sick". Occasionally, hypothyroid dogs can have T4 concentrations that are low normal. Dogs with clinical signs of hypothyroidism and low or low normal T4 concentrations may be evaluated further by submission of freeT4 (fT4) and canine TSH. A high T4 concentration in a clinically normal dog is likely a variation of normal; however elevations may occur secondary to thyroid auto antibodies or rarely thyroid neoplasia. For dogs on thyroid supplement, acceptable 4-6 hour post pill total T4 concentrations generally fall within the higher end or slightly above the reference range.

SDMA:

SDMA is increased, CREA within reference interval: likely impaired GFR and kidney function.
 Recommended next step: evaluate complete urinalysis. For information on recommended actions visit: www.idexx.com/sdmaalgorithm.


Client: Sloan, Holly (9630)
 Patient Name: Placid
 Species: Canine
 Breed:

Gender: Female/Spayed
 Weight: 62.00 lbs
 Age: 9 Years
 Doctor: Tim Slater

Test	Results	Reference Interval	LOW	NORMAL	HIGH
------	---------	--------------------	-----	--------	------

Catalyst Dx (February 2, 2022 5:48 PM)

CA	10.6 mg/dL	7.9 - 12.0			
LIPA	1265 U/L	200 - 1800			



Catalyst Dx (February 2, 2022 5:38 PM)

TT4	1.9 µg/dL	1.0 - 4.0			
-----	-----------	-----------	--	--	--



12/17/21
8:28 AM

1.5 µg/dL

Diagnostic Interpretation for TT4

- < 1.0 µg/dL Low
- 1.0 - 2.0 µg/dL Low Normal
- 1.0 - 4.0 µg/dL Normal
- > 4.0 µg/dL High
- 2.1 - 5.4 µg/dL Therapeutic

Dogs with no clinical signs of hypothyroidism and results within the normal reference range are likely euthyroid. Dogs with low T4 concentrations may be hypothyroid or "euthyroid sick". Occasionally, hypothyroid dogs can have T4 concentrations that are low normal. Dogs with clinical signs of hypothyroidism and low or low normal T4 concentrations may be evaluated further by submission of freeT4 (fT4) and canine TSH. A high T4 concentration in a clinically normal dog is likely a variation of normal; however elevations may occur secondary to thyroid auto antibodies or rarely thyroid neoplasia. For dogs on thyroid supplement, acceptable 4-6 hour post pill total T4 concentrations generally fall within the higher end or slightly above the reference range.

SDMA:


SDMA is increased, no CREA result: likely impaired GFR and kidney function. Recommended next step: evaluation of other renal function tests, and complete urinalysis. For information on recommended actions visit: www.idexx.com/sdmaalgorithm.

Holly Sloan
PO Box 21
Gilbertsville, NY 13776

Acct No. : 9630

Placid

Species: Canine
Breed : Indian Pariah
D.O.B. : 01/17/2013



A

Sex FS
Color Yellow
Weight 59.lbs.

In-House Urinalysis

Sample Source:
Owner Collected

Performed on:
01/28/2022

Requested By:
Dr. Tim Slater

Dipstick Analysis:

Occult Blood	Non-Hemolyzed +++250
Bilirubin	0 - Negative
Urobilinogen	0.1 - 1 - Normal
Ketones	0 - Negative
Protein	100 mg/dl ++
Nitrite	Negative
Glucose	0 - Negative
pH	6.5
Specific Gravity	1.034
Leukocytes	0 - Negative
Ascorbic Acid	40 mg/dl

Sediment/Stain Evaluation:

RBC +++
WBC ++
Bacteria ++
Squamous cells ++

Completed by: (initials) **sm**

01/28/2022	Service	Urine Tube - Centrifuge	QTY: 1	Provider: Dr. Tim Slater
	Service	Pipette	QTY: 1	Provider: Dr. Tim Slater
	Service	Microscope Slide - Cover Slip	QTY: 1	Provider: Dr. Tim Slater
	Service	Microscope Slide	QTY: 1	Provider: Dr. Tim Slater
	Service	Urinalysis - Chemistry Evaluation	QTY: 1	Provider: Dr. Tim Slater
	Service	Urinalysis - Sediment Evaluation	QTY: 1	Provider: Dr. Tim Slater
	Service	Urinalysis - Full	QTY: 1	Provider: Dr. Tim Slater
	Service	Amoxicillin Capsules - 500mg	QTY: 28	Provider: Dr. Valerie Ebert

This medication is an antibiotic. Please give with a full meal to reduce stomach upset. If vomiting or